

Symbolic and Numerical Computation for Artificial Intelligence

edited by

Bruce Randall Donald

Department of Computer Science
Cornell University, USA

Deepak Kapur

Department of Computer Science
State University of New York, USA

Joseph L. Mundy

AI Laboratory
GE Corporate R&D, Schenectady, USA



Academic Press

Harcourt Brace Jovanovich, Publishers

London San Diego New York
Boston Sydney Tokyo Toronto

ACADEMIC PRESS LIMITED
24-28 Oval Road
London NW1

US edition published by
ACADEMIC PRESS INC.
San Diego, CA 92101

Copyright © 1992 by
ACADEMIC PRESS LIMITED

This book is printed on acid-free paper

All Rights Reserved

No part of this book may be reproduced in any form, by photostat, microfilm or any other means, without written permission from the publishers

A catalogue record for this book is available from the British Library

ISBN 0-12-220535-9

Printed and Bound in Great Britain by
The University Press, Cambridge

Author Index

Benantar, Messaoud	277
Biswas, Rupak	277
Cooper, David B.	147
Davenport, James H.	347
Dewar, Michael C.	347
Donald, Bruce R.	1, 245
Flaherty, Joseph E.	277
Forsyth, David	183
Houstis, Elias N.	303
Huttenlocher, Daniel P.	201
Kapur, Deepak	1, 45
Kedem, Klara	201
Kriegman, David J.	123
Lakshman, Yagiti N.	45
Lassez, Catherine	103
Lassez, Jean-Louis	103
Milne, Philip S.	89
Moore, Peter K.	277
Morgan, Alexander P.	23
Mundy, Joseph L.	1, 183
Murota, Kazuo	221
Pai, Dinesh K.	245
Ponce, Jean	123
Rice, John R.	303
Richardson, Michael G.	347
Rothwell, Charles	183
Steinberg, Stanly	259
Taubin, Gabriel	147
Weerawarana, Sanjiva	303
Zippel, Richard	323
Zisserman, Andrew	183

Index

- Adams-Bashforth formula, 336
- adaptive mesh refinement, 277, 280, 287
- adaptive software, 278, 280
- admissible term ordering, 64, 66, 68, 69
- admissible transformation, 17, 228, 229
- affine, 13, 34, 48–50, 55, 60, 110, 111, 114, 147–149, 156, 158, 159, 176, 184, 199, 249
- affine space, 50
- affine zero, 49, 60
- algebraic curve, 3, 17, 85, 147, 149, 150, 153–156, 166, 169–172, 176, 177, 190, 245, 246, 248, 250, 252
- algebraic equation, 86, 87, 260, 307
- algebraic extension, 78, 83
- algebraic geometry, 14, 23, 24, 30, 35, 46, 67, 79, 86, 118
- algebraic hypotheses, 16
- algebraic independence, 225
- algebraic reasoning, 20, 67
- algebraic surface, 3, 16, 17, 128, 140, 147, 148, 150, 152, 155, 170, 174, 177, 190, 198, 252
- algebraically closed, 49
- analytic function, 34
- angular momenta, 329
- approximation phase, 89
- arc length, 26, 27, 33, 36
- ascending set, 78
- automatic discretization interface, 278
- averaging technique, 326, 329, 332

- back substitution, 65, 69
- backprojection, 255
- base point, 55, 85
- basic set, 80–82
- basis conversion algorithm, 68, 69, 71
- Bezout, 15, 24, 30–33, 36, 39, 40, 42, 45, 52, 53, 125, 126, 137, 143, 144
- Bezout number, 15, 24, 30–33, 36, 39, 40, 42
- Bezout's resultant, 45, 144
- binary refinement, 295, 297, 300
- bisubmodular, 228
- Boolean logic, 325
- boundary condition, 259–261, 264, 265, 268, 278, 283, 285, 286, 304, 307, 308, 310, 312, 314, 315, 324, 333
- boundary value problem, 18, 259, 261, 301, 303, 309
- Buchberger, 2, 42, 45, 46, 63–65, 67, 68, 85–87, 90, 91, 101, 118, 126, 145
- Buchberger's algorithm, 63, 67, 68, 86, 90, 91

- C++, 342, 344
- CAD, 4, 89, 125, 140
- CAD model, 4, 125, 140
- Canny edge detector, 139
- Cartesian coordinate, 49, 126, 127
- Cayley, 52, 53, 85, 166, 175
- CCF, 229–236, 240–242
- characteristic polynomial, 60, 85, 101, 160, 164
- Chebyshev polynomials, 335–337
- chemical equilibrium system, 28, 43

- CHIP, 103
- CLP(R), 103
- coefficient-parameter, 15, 24, 33, 35
- cofactor matrix, 263, 264
- Collins, 52, 85–87, 100, 101
- collision detection problem, 4
- combinatorial canonical form, 222, 229, 234, 243
- Common Lisp Object System, 342, 344
- common root, 48, 52, 126, 143–145
- common zero, 47, 48, 51, 52, 54, 55, 57–60, 65, 66, 68, 69, 79, 80, 83, 166
- compact, 20, 272
- complex Euclidean space, 25, 26, 30
- complex geometry, 260
- complex root, 48, 93–95, 100
- computational fluid dynamics, 276
- computer algebra interface, 278
- computer graphics, 125, 209
- computer vision, 16, 123, 125, 140, 142, 201, 206, 218
- computer-aided design, 125
- cone, 191–195, 197, 209, 210, 346
- configuration, 6, 8, 12, 13, 20, 186, 247–250, 252, 254, 255, 300, 324
- configuration space, 8, 12, 13, 20, 249, 250, 252, 254, 255
- conic, 17, 20, 160, 171, 175, 177, 185–188, 190, 195
- conic curve, 186
- conic section, 20, 175, 177
- conservation laws, 224, 228, 292, 301
- consistency check, 2, 5
- consistent, 92, 184, 188
- constraint, 3, 15, 16, 42, 87, 103–119, 124, 125, 133, 141, 142, 168, 170, 171, 199, 246–254, 329, 350, 352, 355
- constraint query language, 103
- constraint system, 2
- constraint-based object modeling, 2
- continuation, 15, 23–34, 36–44, 136, 142
- continuation method, 15, 30, 42–44
- continuation path, 24–29, 31, 36, 38
- contour data, 16, 125, 132, 136, 137, 139, 140, 142
- contour orientation, 123, 125, 134, 139, 140
- contraction of the ideal, 65
- control theory, 4, 175, 221
- control-theoretic problem, 226, 240
- controllability, 17, 221, 240, 241, 243
- convex hull, 16, 20, 103–105, 108, 110–119
- coordinate frame, 185, 191
- counting argument, 159
- Courant condition, 294
- covariant, 16, 147, 150, 158, 159, 164, 165, 168
- covariant matrix, 164, 165
- covariant vector, 158, 159, 168
- CPU-intensive, 348
- Crank-Nicholson discretization, 311, 313
- critical event, 215–217
- cross-ratio, 185
- cubic, 53, 140, 152, 190, 249, 250, 291, 292, 339, 355
- cubic curve, 140, 249, 250
- curvature, 123, 125, 129, 133, 134, 137–140, 159
- curved surface, 124, 176, 184, 198
- cuspid, 49, 51, 64

- degree order, 62
 degree ordering, 62, 64, 68, 69
 design for assembly, 17, 246, 253
 determinant, 45, 46, 52-55, 57-59, 61, 90, 92, 126, 143-145, 162-164, 166, 185, 233, 263, 264
 difference operator, 274
 differential equation, 17-19, 24, 27, 43, 246, 259, 273, 277, 278, 280, 285, 299, 301, 303, 324-326, 329, 333-337, 340-345, 349, 358, 359
 dimension, 16, 34, 46, 49, 71, 87, 89-92, 97, 98, 100, 103-105, 109, 110, 114-117, 135, 149, 160, 177, 180, 219, 224-226, 242, 243, 259, 260, 266, 268, 270, 272-275, 302, 326, 331, 334, 335, 337-339, 351, 352
 dimensional, 16, 68, 71, 72, 75, 76, 86, 89, 91, 119, 149, 150, 172, 175, 183, 190, 199, 221, 222, 225, 261, 275, 286
 Dirichlet boundary, 299, 312, 315, 316
 Dirichlet boundary condition, 312, 315
 Dirichlet problem, 291
 discontinuity, 3, 132, 214, 216, 217, 282
 discrete data, 265, 268
 discretization, 259, 266, 277, 278, 282, 285-287, 293-295, 299, 311-313, 315, 325, 326, 335
 discretization error, 282, 293-295, 299, 315
 discretization technique, 335
 discriminant, 53
 distance transform, 188, 209-211
 disturbance decoupling, 222, 240, 241
 divergence operator, 283
 divergent path, 27, 28
 Dixon, 15, 45, 47, 52-55, 61, 86, 125, 126, 137, 142, 144, 145
 Dixon's method, 15, 61, 126, 144
 Dixon's resultant, 53, 125, 137, 145
 Dulmage-Mendelsohn decomposition, 234
 dynamical degree, 240
 dynamical system, 3, 4, 17, 18, 221-223, 226, 240, 242, 243, 250, 337, 345

 eigenvector, 17, 147, 149, 155, 156, 168, 169, 174, 341, 342
 electrodynamic, 325, 328
 element-by-element, 287, 289, 301, 302
 eliminant, 86, 89, 92, 142
 elimination method, 1, 2, 17, 45
 elimination theory, 2, 90, 92, 119, 123, 125, 126, 140
 elliptic and hyperbolic system, 278
 elliptic boundary value problem, 18, 303
 elliptic function, 14
 ELLPACK, 303, 307, 316, 317
 engineering design, 1, 2
 enrichment indicator, 282, 293
 enrichment strategies, 278, 280, 282
 error estimation procedure, 278
 Ether, 327
 Euclidean center, 150, 165, 167-169
 Euclidean distance, 188
 Euclidean invariant, 17, 147-149, 159, 169, 170, 192, 197
 Euclidean space, 25, 26, 30, 158, 261
 Euclidean transformation, 149, 158, 159, 164, 171
 Euler's theorem, 161
 evaluation function, 94, 95, 98, 99

 exact distance, 136
 expert system, 1, 41, 276, 302
 explicit finite volume, 277
 extended Gaussian image, 130
 extracted characteristic set, 71
 extreme point, 16, 104, 107-118
 extreme point method, 108, 109, 116, 117

 factorization, 52, 83, 84, 90, 287, 301
 Farey sequence, 11, 14
 feature extraction, 175, 186
 feature vector, 187, 190
 finite difference, 138, 271, 276, 278, 280, 285, 289, 293, 294, 315, 335
 finite element discretization, 277, 285, 286
 five coplanar points, 185
 fixed mode, 222, 241-243
 floating-point error, 275
 fluid dynamics, 276, 325, 326, 345
 flux vector, 262, 264
 Fokker-Planck equation, 278-280
 FORTRAN, 259-261, 265, 267, 269-277, 283, 285, 302, 305, 307, 309, 311, 314, 315, 317, 347-350, 352, 354-359, 362
 Fourier expansion, 339
 Fourier transform, 336, 340
 full-dimensional, 109-111, 114, 115

 Galerkin form, 286
 Galerkin projection, 334, 340
 Gaussian curvature, 123, 125, 129, 133, 137, 138, 140
 Gaussian elimination, 41, 77, 110, 114
 Gaussian image, 130
 GCD, 10
 generalized characteristic polynomial, 60
 generalized cylinder, 124, 125, 143
 generalized damper, 246
 generalized eigenvector fit, 155, 156
 generalized linear program, 16, 107-110
 generic parameter, 224
 generic sequence, 95
 generically nonsingular, 35-37
 GENTRAN, 316, 349, 350, 358
 genus, 14
 GeoMeter, 67, 80, 84
 geometric hashing, 153
 geometric modeling, 1, 15, 23, 39, 66, 67, 278
 geometric modeling interface, 278
 geometrical incidence coefficients, 225
 geometry theorem proving, 45, 80, 82, 84-86
 global minimization, 155
 gradient, 123, 125, 131, 135, 136, 139, 277, 283, 287
 gradient vector, 154
 Gröbner, 45, 47, 61, 63-75, 77, 79, 84-86, 89, 101
 Gröbner basis, 45, 47, 61, 63-75, 77, 84, 85, 89, 101
 Gröbner basis algorithm, 67
 groundwater-flow modeling program, 261

 H-refinement strategy, 280
 Hamiltonian mechanics, 328, 329
 Hausdorff distance, 202-206, 208-212, 218, 219
 Hausdorff metric, 202
 Hermite, 16, 90, 98, 100, 101

- Hessian matrix, 359
 holonomic constraint, 3, 252
 homogeneity, 225
 homogeneous coordinate, 38, 42, 158, 159, 185
 homogeneous polynomial, 50, 55, 58–60, 163, 166, 167, 178
 homogeneous variable, 30, 33
 homogenizing variable, 58
 homotopy, 2, 15, 24, 26, 29–38, 42–44, 136
 homotopy continuation, 30, 31, 43, 136
 homotopy technique, 15
 Hough transform, 175
 hyper plane, 50, 106, 107, 109, 112, 113, 115, 116, 159
 hyperbolic system, 277, 278, 280, 292, 301
 hypothesis combination, 186
 hypothesis generation, 186
- ideal, 15, 42, 43, 45–47, 50, 51, 57, 63–69, 71, 72, 75, 76, 78, 79, 81, 85–87, 90, 92, 101, 299, 300
 ideal of inertial form, 57
 image contour, 123, 124, 132, 133, 135, 142, 177
 image intensity, 2, 130
 image understanding, 20, 86, 141, 142, 175, 176, 199
 implicit curve, 150, 151, 153–155
 implicit equalities, 109, 111, 114, 116
 implicit finite difference, 285, 335
 implicit surface, 150
 IMSL, 348
 inconsistent, 6, 46, 80, 211
 independent parameter, 86, 137, 222, 225
 indexing function, 3, 17, 183, 184, 186, 190, 198, 199
 inexact arithmetic, 5
 initial value problem, 27, 301, 344
 intensity data, 124, 125, 130, 131, 136, 137, 139
 intensity gradient, 123, 125, 131, 136, 139
 interpolation, 59, 61, 293, 294, 342, 349
 interpretation scene, 327–329
 intrinsic coordinate system, 148–150
 intrinsic Euclidean center, 150, 167, 168
 intrinsic Euclidean orientation, 150, 165, 168–170, 174
 invariant, 3, 16, 17, 20, 57, 68, 81, 143, 147–150, 157–160, 162–167, 169–178, 183–194, 197–199, 213, 228
 invariant metric, 186
 invariant numerical method, 3
 invariant theory, 124, 142, 150, 166, 167, 175–177, 183, 184, 192, 198, 199
 inversion with respect to a triangular set, 74
 IRENA, 347, 350–353, 355–362
 irreducible characteristic set, 83, 84
 isolated zero, 15
 isolation phase, 16, 89
 isometries, 12
 iterative algorithm, 7, 10
- Jacobian, 18, 26, 27, 29, 37, 39, 154, 263–265, 277, 283, 285, 343, 359, 360
 Jacobian matrix, 26, 27, 29, 37, 263, 264
 Jordan curve, 91
- kinematic constraint, 253, 254
 kinematics, 15, 44, 126, 250–252
 Kirchhoff's laws, 224, 228
 Koenderink, 133, 142
- Koenderink's theorem, 133
- Lagrange, 42, 332
 Lagrangian, 329
 Laplace, 223, 332
 Laplace transform, 223
 laser range finder, 128
 laws of physics, 17, 325, 326
 Lax-Wendroff method, 293
 layered mixed matrix, 227
 Lazard, 15, 55, 59, 68, 71, 72, 75, 76, 86, 87
 Lazard's algorithm, 72
 leading coefficient, 48, 72–75, 93, 95
 leapfrog scheme, 293
 left contravariant, 164
 left covariant, 164
 Levenberg-Marquardt algorithm, 137, 138, 155
 lexicographic order, 61, 65
 Lie group, 162, 175
 limit cycle, 330–332
 linear algebra, 44, 46, 49, 51, 126, 243, 349
 linear arithmetic constraint, 103
 linear combination, 106, 107, 178, 273
 linear elliptic second order, 303
 linear inequalities, 15
 linear invariant, 160, 162
 linear programming, 104, 105, 110, 114
 linear scalar differential equation, 299
 linear time complexity, 290, 291
 linear transformation, 158–161, 163, 175, 248
 LM-equivalent, 228, 230, 231
 LM-irreducible, 231, 233
 LM-matrix, 227–236
 local dynamic constraint, 253
 local minimization, 155, 156
- m-homogeneous, 32
- Macaulay, 15, 45, 47, 55–61, 67, 85, 87, 90, 92, 101, 125, 126, 142, 145
 Macaulay determinant, 90
 Macaulay's method, 15, 61
 Macaulay's resultant, 45, 55
 machine vision, 1, 2, 15–17, 208, 212
 MACSYMA, 52, 67, 87, 260, 261, 265, 268–273, 276, 302, 317, 362
 manifold, 26, 36, 143, 328
 MAPLE, 52, 61, 67, 275, 276, 278, 283, 285
 mass, 17, 223, 226, 327, 328, 341
 MATHEMATICA, 1, 103, 126, 137, 348
 mathematical entities, 283
 MATHLAB, 348
 matroid-theoretic combinatorial method, 221, 222
 Maxwell-Boltzmann distribution, 278
 mean square distance, 154, 156, 172
 mechanical design, 44
 mechanical engineering, 34
 mechanical system, 17, 223–226, 245, 246, 253, 329
 mesh structure, 1, 286
 MIMD computer, 293
 Minkowski difference, 207
 Minkowski sum, 13, 207, 208
 model matching, 143, 199, 240, 241
 model-based vision, 17, 183, 184, 198, 202

- modeling, 1-3, 15, 16, 18, 20, 23, 39, 66, 67, 86, 101, 142, 143, 221, 222, 246, 259-261, 276, 278, 285, 323, 324, 344
 momentum, 327
 monomial, 48, 63, 69, 157, 160, 161, 169, 178, 226
 motion diode, 253
 motion planning, 4, 13, 20, 85, 118, 119, 126, 141, 254, 255
 motion prediction problem, 4
 multi-homogeneous, 15, 24, 29, 30
 multiplicity, 29, 31, 33, 49, 90
 multivariate polynomial, 15, 47, 48, 86, 94
 multivariate resultant, 61, 137

 NAG library, 347-350, 352, 360, 362
 NAG parameters, 352, 355
 Navier-Stokes equations, 337, 339, 343
 Newton iteration, 19, 285, 315, 316
 Newton's method, 309-311, 315
 Newton-Raphson iteration, 136
 Newtonian mechanics, 325, 327, 328
 noncontiguous quadrant, 277
 nonlinear constraint, 2
 nonlinear programming, 2
 normal form, 62-64, 67, 69-71, 74, 241, 243
 normal vector, 283
 numerical error, 275
 numerical finite-element method, 5
 numerical grid-generation, 260, 261
 numerical integration, 5, 19, 245, 323, 331, 344
 numerical method, 1-4, 16-19, 23, 24, 28, 42, 136, 157, 176, 245, 350
 numerical root-tracking method, 2
 numerical scheme, 282, 294
 numerical-programming logic, 261

 object identification, 190
 object recognition, 17, 123, 141, 142, 147, 148, 152, 156, 157, 199
 observability, 17
 observable, 16, 123-125, 127-132, 134, 135, 138, 140, 323, 325-329, 352
 occluding contour, 3, 132, 133, 142, 143
 on-line, 103, 115, 118, 134
 optimization, 2, 4, 17, 28, 42, 44, 76, 104, 108, 113, 138, 155, 176, 184, 219, 243, 275, 276, 345, 349, 355, 360
 ordering properties, 6
 orthogonal invariant, 158, 160, 162, 164, 165
 orthogonal transformation, 159, 165

 P-refinement, 282, 291, 292
 parameterization, 14, 15, 47, 61, 66, 85, 86, 153, 250
 parametric curve, 87, 143
 parametric query, 109
 parametric search, 208
 partial differential equation, 18, 259, 277, 278, 301, 303, 325, 326, 333-335, 341
 path tracking, 24, 25, 27
 pawl, 246-249, 251-254
 PDE, 18, 19, 259-261, 265, 268, 271, 273, 276, 303-316
 Pedersen's construction, 90
 Pedersen's technique, 90
 permanencies, 92-94, 97, 98

 perturbation, 12, 13, 29, 212, 324, 332
 perturbation analysis, 332
 physical dimension, 224-226, 243
 physical parameter, 17, 34, 221, 222, 224
 Picard iteration, 307, 309
 pixel classification error, 211
 planar object, 184, 186, 188
 plane conic, 185
 plane sweep, 246, 251, 253
 point sets, 201-204, 208, 209, 219
 polygon union, 6
 polygonal, 203, 212, 219, 248
 polygonal environment, 248
 polygonal shape, 203, 212, 219
 polyhedra, 20, 124, 141, 254
 polyhedral object, 2, 87, 188, 199
 polyhedral set, 105, 106, 108-110, 119
 polynomial continuation, 15, 23-25, 27-34, 37-43
 polynomial equation, 15, 16, 23, 25, 26, 35, 40, 42-48, 51, 52, 54, 55, 66, 71, 76, 85, 89, 125-127, 198
 polynomial invariant, 158, 166
 polynomial system, 15, 23, 25, 28-30, 33, 34, 37, 40, 42-44, 142, 192
 power product, 47, 48, 52-56, 61
 prime ideal, 78, 79
 principle of dimensional homogeneity, 225
 privileged basis, 78
 projection, 4, 13-16, 20, 46, 47, 52, 89, 104, 107-111, 113-119, 124, 127, 128, 130, 132, 133, 137, 142, 155, 184, 185, 210, 246, 299, 301, 334, 337, 339, 340
 projective, 17, 26-33, 35, 39, 49, 50, 147-149, 156, 158-160, 163, 166, 184, 185, 187, 188, 191, 199
 projective space, 26, 30, 32, 35, 49, 50, 158, 191, 199
 projective transformation, 17, 27-29; 31, 32, 39, 159, 166
 projective zero, 49
 PROLOG III, 103
 pseudo-divide, 79-83
 pseudo-division, 77-81, 84

 quadrant, 277, 287, 289-291, 293
 quadratic arc, 153, 176
 quadrature, 286, 349, 357, 361
 quadric, 124, 125, 128, 149, 152, 153, 155, 172, 175, 176, 190
 quantifier elimination, 103-105, 113, 117, 118
 quantum mechanics, 323, 325, 327-329
 quasi-binary tree, 290, 291
 quasi-linear combination, 106
 quasi-Newton algorithm, 350
 quasi-static mechanics, 4, 246, 247

 range data, 123, 125, 128, 129, 136, 138, 139, 141, 147, 148, 175, 176
 rank identity, 228, 234
 rational approximation, 7, 10, 12
 rational arithmetic, 6, 12, 13
 rational function, 61, 80, 127, 225
 rational invariant, 158, 163
 rational parameterization, 66
 rational parametric patch, 127
 rational patch, 128
 Rayleigh equation, 330

- reaction-diffusion problem, 283
 real root, 93–96, 98, 99
 real zero, 83, 101
 real-RAM model, 5
 realification, 27
 recognition algorithm, 125, 134, 184
 recognition hypothesis, 186–189
 recurrence relation, 96
 recursive local mesh refinement, 277
 REDUCE, 52, 67, 276
 reduced Gröbner basis, 65, 66, 68–70, 72, 75
 reduction, 4, 15, 23–25, 39–42, 62, 63, 67, 74, 77, 84, 85, 116, 235, 246, 326, 334, 337
 refutational approach, 66, 67, 86
 relative invariant, 158, 163, 164, 166
 resultant computation, 85
 right contravariant, 164
 right covariant, 164
 rigid body dynamics, 4, 323, 325, 328
 Ritt, 2, 15, 45–47, 71, 76, 78–80, 83, 87
 RLISP, 358
 robot kinematic, 126
 robot motion, 4, 12, 20, 85, 141, 143
 robot motion planning, 4, 20, 85, 141
 robotics, 1–4, 15, 17, 20, 103, 141–143, 175–177, 198, 199, 201, 218, 219, 254, 255
 robust geometric algorithm, 20
 robustness, 5, 278
 root finding, 349
 rotational invariant, 192, 193, 197, 198
 rotational compliance, 4, 5, 246
 rotational intersection, 249
 Runge-Kutta method, 325
- scalar equation, 129
 scalar invariant, 185
 scale-preserving rotation, 12
 scaled orthography, 128, 137
 scaling, 2, 3, 6, 13, 17, 28, 29, 39, 140, 213
 scientific computation, 6, 282
 segmentation, 124, 137, 138, 140, 143, 151, 152, 169, 177, 187, 190
 segmentation algorithm, 151, 152
 semi-discretization procedure, 311
 shape, 17, 20, 90, 140, 142, 175, 177, 183, 186, 188, 190, 191, 199, 201–203, 212, 218, 219, 287
 side condition, 24, 33, 38, 39, 42
 simulation, 4, 17–19, 245–248, 250–254, 276, 316, 317, 323–328, 333, 344
 simulation algorithm, 246
 simulator generator, 329
 simultaneous solution, 3
 singularity, 190, 251, 255
 sliding collision, 250, 251
 Smith normal form, 241, 243
 Sobolev space, 286
 solid modeling, 86, 101
 solution at infinity, 26
 spectral method, 326, 334, 335
 spherical coordinate, 128–130
 square-free, 92–94
 state equation, 325, 326, 329, 333
 state-space equation, 221, 223
- straightening algorithm, 166, 177
 structural approach, 221, 243
 structural controllability, 221, 243
 Sturm, 15, 16, 89, 90, 92–94, 96–100
 Sturm sequence, 92–94, 96–100
 Sturm's theorem, 15, 89, 90, 93, 94
 subresultant algorithm, 90, 92, 93, 95, 100
 superquadric, 124, 125, 155
 surface fitting, 3, 141, 150, 153, 170
 surface normal orientation, 125
 surface range, 2
 Sylvester, 45, 52, 53, 55, 97, 101, 126, 166, 177
 Sylvester resultant, 52, 53, 55
 symbolic computation, 5, 85, 86, 101, 104, 105, 118, 119, 150, 183, 192, 198, 276, 302, 317, 323, 334, 340, 344, 348, 362
 symbolic computational interface, 278
 symbolic mathematics, 1
 symbolic method, 1, 4, 17, 23, 148, 163, 166, 167, 192, 193, 245, 246, 337
 symbolic reduction, 15, 23, 24, 41
 symbolic transformation, 23
 symmetric successive over-relaxation, 277, 287
 system parameter, 224
- tactile sensor, 128
 Taylor series, 157, 265, 271
 template, 307, 309, 310, 312, 318, 349
 term ordering, 15, 61, 62, 64–66, 68, 69, 77
 theorem proving, 15, 45, 80, 82, 84–87, 103, 117
 time-discretization, 311, 313, 316
 total degree, 24, 25, 29, 31, 32, 40, 42, 61, 126, 250
 total degree ordering, 62, 68
 transient hyperbolic problem, 280
 translational collision, 250, 251
 triangular form, 25, 41, 51, 65, 76–78
 truncation error, 265, 271, 275
 truncation-error analysis, 274
 turning function, 203, 212, 213, 217, 219
- unstable solution, 38
 upper envelope, 204–208, 210, 219
- van der Pol equation, 330, 331
 van der Pol oscillator, 332
 variable elimination, 104–107, 110, 117
 vector or parallel solution capabilities, 278
 velocity, 13, 223, 224, 248, 253, 327, 338, 339, 343
 viewpoint consistency, 142
 viewpoint consistency constraint, 142
 visualization tool, 278
 volume function, 16, 90–92, 95–100
 Voronoi surface, 204–207, 209, 210, 219
- wave functions, 327, 328
 weighted residual method, 323, 326, 333, 334, 339
 Wu, 2, 15, 45–47, 76, 78–80, 82–84, 87
- zero set, 45, 47–49, 51, 60, 72, 75–78, 81, 90, 91
 zero-dimensional ideal, 15, 68, 69, 71, 72
 zeros at infinity, 50, 55